Author Index

A

Abdollahi, A., 600
Abramjuk, C., 171, 182, 546
Achenbach, S., 230
Adam, G., 717
Ahlström, H., 470, 479
Aime, S., 235
Attenberger, U., 537
Averbukh, Z., 583

B

Bachmann, R., 413
Bachthaler, M., 65
Baker, J. F., 334
Baker, K. B., 300
Balant, L., 506
Balédent, O., 45
Balériaux, D., 619
Bara, J., 723
Barentsz, J. O., 671
Bartolozzi, C., 689
Bauer, J., 487
Baus, S., 305
Berger, I., 554
Bergmann-Fritsch, H., 394
Berman, S., 583
Bernhardt, T. M., 97
Biedermann, A., 427
Bjerner, T., 470, 479
Bjørnerud, A., 479
Blezer, E., 619
Blindt, R., 27
Bock, M., 111, 143, 554, 698
Bongers, A., 277
Borges, A. C., 728
Borisch, I., 610
Bouquet, C., 350
Boxheimer, L., 254
Bradley, M. Y. C., 197
Brandenburger, G. H., 187
Bräuer, R., 626
Briguet, A., 585
Briley-Sæbo, K., 479
Brix, G., 537
Brochet, B., 619
Budoff, M. J., 73
Buecker, A., 27, 250, 517, 656, 756
Büttner, R., 610

C

Cangöz, T., 13
Carson, S., 73
Cesmeli, E., 13
Chaabane, L., 585
Charvet, A.-M., 385
Chen, L., 73
Child, J., 73
Choi, B. I., 89
Chung, M. J., 633
Cioni, D., 689
Claussen, C. D., 565, 572
Coburger, S., 641
Coffey, R. J., 304
Contard, F., 585
Corde, S., 385
Corot, C., 56, 155, 619, 723
Cosendai, G., 591
Cravotto, G., 235
Crocetti, L., 689
Crook, D. W., 254

D

Damilakis, J., 706
Daniel, W. G., 230
Danilouchkine, M. G., 747
Debatin, J. F., 723
Debus, J., 277
de Haan, M. W., 435
DeHoyos, M. J. C., 197
Deissler, P., 641
de Koning, P. J. H., 524
Della Pina, C., 689
Delli Castelli, D., 235
Delorme, S., 216, 277
De Marco, G., 45
Deutschmann, H. A., 20
Deutschmann, M. J., 20
Dewey, M., 223, 498
Diederich, S., 97
Dietrich, O., 537
Dikow, R., 698
Di Martino, E., 756
Dimmler, A., 230
Ding, X.-Q., 740
Dirksen, A., 1
Di Tondo, U., 666
Dohmen, P. M., 728
Dono, K., 210
Dornier, C., 506
Douek, P., 585
Dousset, V., 619
Duda, S. H., 565
Düx, M., 374

E

Eberle, B., 427
Eckstein, F., 487
Edic, P., 13
Elgersma, O. E. H., 418
Elleaume, H., 385
Els Bakker, M., 1
Entius, C. A. C., 661
Enzweiler, C. N. H., 357, 728
Ericsson, A., 479
Essig, M., 216, 277
Estève, F., 385
Even-Sapir, E., 8

F

Faber, S. C., 288
Faberová, V., 171
Farion, R., 385
Feger, S., 230
Felix, R., 13
Fenchel, M., 572
Ferrara, K. W., 340
Feuerbach, S., 65, 271, 610
Feyerer, R., 230
Figer, A., 8
Fink, C., 34, 111, 143, 202, 554
Fiorelli, M., 418
Fischer, T., 728
Fiserova, M., 171
Floren, M. G., 264
Foster-Gareau, P., 619
Franow, A., 572
Frey, O., 626
Fries, J. W. U., 641
Friese, S., 120
Fütterer, J. J., 671

G

Gaillard, S., 619
Gajda, M., 626
Galanski, M., 305
Galen, K. P., 187
Gänger, E., 374
Garcia, T. C., 340
Gast, K. K., 427
Gex-Fabry, M., 506
Gibby, K. A., 138
Gibby, W. Andrew, 138
Gibby, Wendell A., 138
Glaser, C., 288
Goebell, E., 740
Goepfert, K., 254
Goldman, J. P., 537
Gondry-Jouet, C., 45
Gong, P., 600
Goo, J. M., 633, 649
Görg, M., 740
Gourtsoyiannis, N., 706
Gratz, K. F., 305
Grenacher, L., 374
Grgic, A., 406
Griswold, M. A., 767
Grobholz, R., 34, 111
Grossmann, S., 182
Grzyska, U., 740
Guenther, M., 698
Guerrier, D., 585
Gulani, V., 767
Günther, M., 277
Günther, R. W., 27, 244, 250, 264, 451, 517, 656, 756
Gutman, M., 8

H

Haage, P., 244, 756
Haas, M., 626
Habermann, C. R., 717
Haller, C., 149
Hallscheidt, P., 111
Hamer, O. W., 271, 610
Hamhaber, U., 120
Hamm, B., 223, 357, 394, 498, 546, 728
Han, J. K., 89
Han, T. I., 531
Hansch, A., 626
Hashimoto, K., 210
Hayashi, S., 210
Heerschap, A., 671
Heilmann, M., 34, 202
Heindel, W., 97, 413
Heinrich, M., 406
Helber, U., 572
Henderson, J., 300
Hennemuth, A., 451
Henry-Feugeas, M.-C., 45
Henzler, D., 451
Herborn, C. U., 723
Hermann, K.-G. A., 728
Herold, T., 65
Herth, F., 216
Heussel, C. P., 427
Hilger, I., 626
Hizoh, I., 149
Hoffmann, U., 728
Hohe, J., 288
Hohl, C., 656
Hori, M., 210
Huang, S., 104
Huber, P. E., 34, 600
Hudelmaier, M., 487
Hughes, M. S., 187
Huisman, H. J., 671
Hulsbergen-van de Kaa, C. A., 671
Humke, U., 406

I

Iafrate, F., 666
Idée, J.-M., 155
Idy-Peretti, I., 45
Im, J.-G., 633
Itoh, Y., 455
Ittrich, C., 698
Ivancevic, M. K., 506

J

Jakob, P. M., 767
Janssen, J. P., 524
Johansson, L., 470, 479
Jongen, C., 462

Jonkmanns, C., 619
Jung, B., 517

K

Kaiser, W. A., 626
Kaneda, Y., 313
Karcher, A., 216
Kato, N., 80
Katoh, M., 244
Kauczor, H.-U., 111, 143, 202, 216, 277, 427, 554, 600
Kaufels, N., 498
Kauffmann, G. W., 374
Kawakami, Y., 313
Kehlbach, R., 565
Kessels, A. G. H., 435
Khan, A. A., 104
Kiessling, F., 34, 216, 600
Kim, H. J., 445
Kim, I.-O., 531
Kim, J. H., 649
Kim, K. G., 633
Kim, K. N., 445
Kim, S., 649
Kim, S. H., 89, 531
Kim, T., 210
Kim, W. S., 531
Kim, Y. T., 649
Kinzel, S., 250, 656
Kitslaar, P. J. E. H. M., 435
Klegerman, M. E., 104
Klibanov, A. L., 187
Klomp, D. W. J., 671
Klose, U., 120
Klotz, E., 451
Knollmann, F. D., 13
Kohlschütter, A., 740
Kollstedt, A., 487
Koning, G., 524
Koops, A., 717
Koscielny, S., 350
Köstler, H., 305
Kramann, B., 406
Krämer, S. C., 413
Kramer, U., 572
Kratz, L. C., 334
Kravec, I., 394
Krix, M., 34, 216
Kroencke, T. J., 357, 546, 728
Krombach, G. A., 517, 756
Krueger, K., 641
Krug, L., 223
Krupski, G., 717
Kubota, T., 455
Kucinski, T., 740
Kuehn, B., 537
Kueker, W., 120
Kugel, H., 413
Kurrat, C., 626

L

Lackner, K., 641
Laclédère, C., 723
Laghi, A., 666
Lancelot, E., 155
Lassau, N., 350
Laule, M., 223, 498
Laznicek, M., 171
Le Bas, J.-F., 385, 619
Le Duc, G., 385
Lee, H. J., 649
Lee, J. M., 89
Lee, J. W., 445, 649
Lee, K. S., 633
Lee, S. D., 445
Lee, S. H., 445
Lee, T. H., 445
Le Gars, D., 45
Le-Huu, M., 216
Leiner, T., 435
Lelieveldt, B. P. F., 747
Lembcke, A., 223, 357, 728
Lencioni, R., 689
Lenhart, M., 65
Lenzen, H., 97
Lerch, K., 271
Lerman, H., 8
Leuschner, J., 171
Ley, S., 143, 202, 427
Li, M., 600
Lichy, M. P., 34, 277
Link, T. M., 487
Livshitz, G., 8
Lochmüller, E.-M., 487
Lu, B., 73
Lubienski, A., 374
Ludwig, K., 97
Lutz, A. M., 254

M

MacDonald, R. C., 104
Mahnken, A. H., 27, 250, 451
Mahnkopf, D., 182
Maintz, D., 413
Majumdar, S., 487
Malich, A., 626
Malinak, J., 171
Mao, S., 73
Marincek, B., 254
Maris, T., 706
Martiny, S., 756
Masner, O., 171
Matsunaga, N., 313
Mayer, E., 427
McFadden, E. P., 585
McPherson, D. D., 104
Meding, J., 34
Meier, P. J., 506
Mendlik, T., 288
Mews, J., 357
Meyer, M.-E., 45
Michaely, H. J., 698
Miglio, C., 666
Miller, E., 8
Miller, S., 572
Milone, L., 235
Monden, M., 210
Moon, T. Y., 445
Morbach, A., 427
Mössinger, M., 305
Müller, J., 13
Murakami, T., 210
Murayama, C., 80

N

Nagano, H., 210
Najid, A., 56
Nakamura, H., 210
Narazaki, M., 80
Nederkoorn, P. J., 462
Neitzel, U., 325
Nguyen, T. H., 250
Niessen, W. J., 418, 462
Nikolaou, K., 537
Nyenhuis, J., 300, 591

O

Oishi, R., 455
Opolon, P., 350

P

Paetzel, C., 65, 271
Panebianco, V., 666
Paolantonio, P., 666
Papadokostakis, G., 706
Papke, K., 97
Park, J. H., 633
Park, M., 531
Park, S.-M., 591
Passariello, R., 666
Pastor, C. M., 506
Pattynama, P. M. T., 661
Peloschek, P., 325
Peronneau, P., 350
Perricaudet, M., 350
Peschke, P., 34, 600
Petry, K. G., 619
Peyramaure, S., 56
Pfeffer, J., 244, 656
Phillips, M., 300
Piitulainen, E., 1
Pilgrimm, H., 394, 546
Pines, E., 155
Planchamp, C., 506
Plathow, C., 143, 202, 554, 600
Pluim, J. P. W., 462
Pochon, S., 506
Pohle, K., 230
Pollard, R. E., 340
Portugaller, H. R., 20
Prescher, A., 756
Prigent, P., 56
Prokop, M., 325
Puderbach, M., 143, 202
Putter, H., 365

Q

Quadri, R., 506

R

Rapp-Bernhardt, U., 97
Rasche, P. T., 187
Rauch, E., 288
Rausch, M., 619
Raynal, I., 56
Raynaud, J.-S., 498
Rebuzzi, C., 56
Reiber, J. H. C., 1, 365, 524, 747
Reiser, M., 288, 537
Reist, M., 506
Rezai, A. R., 300
Rhim, H., 89
Richter, G. M., 374
Robert, P., 723
Roche, A., 350
Rogalla, P., 223
Röhl, F. W., 97
Ropers, D., 230
Rouffiac, V., 350
Rubal, B. J., 197
Ruebben, A., 27, 250
Ruehm, S. G., 723
Runge, V. M., 713
Russi, E. W., 1
Rutsch, W., 223

S

Sadlowski, A. R., 340
Sailer, J., 325
Saito, M., 455
Sakon, M., 210
Saleh, A., 619
Sase, S., 210
Sauner, D., 626
Savellano, D. H., 305
Schad, L. R., 277
Schaefer-Prokop, C., 325
Schaffler, G. J., 20
Schart, N., 565
Scheenen, T. W. J., 671
Schellenberger, E., 546
Scheller, B., 182
Schink, T., 546
Schlemmer, H.-P., 34, 277
Schmähl, A., 554
Schmidt, D., 626
Schmiedeskamp, J., 427
Schmitt, P., 767
Schmitz-Rode, T., 264, 656

© 2004 Lippincott Williams & Wilkins

Schnapauff, D., 223
Schneider, G., 406
Schnorr, J., 357, 394, 498, 546
Schöber, W., 565
Schoellnast, H., 20
Schoenberg, S. O., 537, 554, 698
Schreiber, W. G., 427
Schurink, G. W., 435
Seligson, A., 171
Sendo, T., 455
Settles, M., 487
Sharan, A. D., 300
Shavelle, D. M., 73
Shellock, F. G.,300, 591
Sideri, L., 706
Simon, O., 182
Skotland, T., 582
Soulas, E. C., 585
Sovak, M., 171
Speck, U., 182
Spuentrup, E., 250, 656
Stanzel, S., 27, 756
Stauder, N. I., 572
Stepniak, A., 427
Stevens, G. R., 334
Stieger, B., 506
Stieger, S. M., 340
Stockley, R. A., 1
Stoel, B. C., 1, 365, 681
Stolk, J., 1, 681
Strotzer, M., 65, 271, 610
Stumpf, I., 487
Suga, K., 313
Sugihara, E., 210

T

Tacke, J., 244
Taupitz, M., 357, 394, 498, 546
Tepe, G., 565
Terreno, E., 235
Terrier, F., 506
Terry, R., 171
Thilmann, C., 277
Tillich, M., 20
Tiukinhoy, S. D., 104
Tkach, J., 300
Tordoir, J. H. M., 435
Toth, T., 13
Treiber, K., 254
Trivedi, R., 619
Tsuda, N., 80
Tuinenburg, J. C., 524

U

Uder, M., 406
Ueda, K., 313
Umathum, R., 111
Uzgiris, E., 131

V

Vallée, J.-P., 506
van Assen, H. C., 365
van Bemmel, C. M., 418
van Dorsten, F. A., 671
van Engelshoven, J. M. A., 365, 435
van Leeuwen, M. S., 418
van Vaals, J. J., 656
Vasbinder, B. C., 365
Violas, X., 723
Vogel, M. W., 661
Vogt, F., 27
Völk, M., 65, 271, 610
Volz, S., 111
Vonken, E-j. P. A., 418

W

Wagner, S., 357, 394, 546
Wall, A., 413
Wasser, K., 554
Webb, A. G., 767
Weber, J., 288
Weber, M., 277, 325, 554
Weimann, A., 305
Weishaupt, D., 254
Weiss, F., 717
Wersebe, A., 565
Westenberg, J. J. M., 747
Westhofen, M., 756
Wible, J. H., Jr., 187, 334
Wiese, T. H., 357
Wikström, G., 470, 479
Wildberger, J. E., 27, 244, 451
Wiskirchen, J., 565
Wisner, E. R., 340
Witjes, J. A., 671
Wittkugel, O., 717, 740
Wojdyla, J. K., 187
Wojner, I., 546

Y

Yang, F., 723
Yano, T., 455
Yeon, K. M., 531
Yokawa, T., 80
Youn, B. J., 89
Yuan, Y., 313

Z

Zahradnik, P., 171
Zaki, M., 313
Zaporozhan, J., 427
Zeumer, H., 740
Zieher, H., 600
Zorger, N., 65, 271, 610
Zuehlsdorff, S., 111
Zuna, I., 143, 202, 277, 554

© 2004 Lippincott Williams & Wilkins

Subject Index

A

N-Acetylcysteine, prophylaxis of iodinated contrast media-induced nephropathy, 155
Adenosinergic blockers, prophylaxis of iodinated contrast media-induced nephropathy, 155
Advances in magnetic resonance (editorial), 713
Age-related changes in brain T_2 relaxation times, 740
Anatomy, T2-weighted turbo spin-echo images, maximum-intensity projections, and 3-dimensional volume-rendering of anatomic details of inner ear, 756
Aneurysms, aortic, MRI in old apolipoprotein E-deficient mice, 585
Angiography
  aortoiliac enhancement during CT angiography with reduced contrast material dose and saline solution flush, 20
  coronary
    image quality using multislice spiral CT vs. electron-beam CT (pig model), 357
    noninvasive electron beam, improved accuracy of, 73
  digital subtraction (DSA), comparison of MRA and DSA in chronic critical ischemia and tissue loss, 435
  magnetic resonance (MRA)
    comparison of MRA and DSA in chronic critical ischemia and tissue loss, 435
    comparison of VSOP-C184 with Gd-DTPA for first-pass MRA (pig model), 546
    contrast-enhanced MRA of carotid arteries, 65
    metallic MR stents for coronary MRA in swine, 250
    renal embolization: feasibility of MR-guidance using active catheter tracking and intraarterial MRA (pig model), 111
    semiautomated internal carotid artery stenosis quantification from contrast-enhanced MRA, 418
    3.0 Tesla MRA of endovascular aortic stent grafts, 413
  quantitation of morphology of renal arteries from x-ray images, 365
Angioplasty, effects of paclitaxel on restenosis after, 565
Animal studies. *See* specific species
Aorta
  aortoiliac enhancement during CTA with reduced contrast material dose and saline solution flush, 20
  comparison of VSOP-C184 with Gd-DTPA for first-pass MRA (pig model), 546
  MRI of aortic aneurysms in old apolipoprotein E-deficient mice, 585
  quantification of aortic valve calcification with electron beam tomography, 230
  3.0 Tesla MRA of endovascular aortic stent grafts, 413
Apoptosis, contrast media augmented apoptosis of cultured renal and hepatic cells (letter and reply), 582
Arthritis, diagnosis using near-infrared fluorochrome Cy5.5 (mouse model), 626
Articular cartilage, T2 quantitation at 1.5 T, 288
Asbestos-related pleural disease, MRI of, 554
Atherosclerosis
  macrophage imaging using ultrasmall superparamagnetic iron oxide in MRI, 619
  MRI of aortic aneurysms in old apolipoprotein E-deficient mice, 585
  novel echogenic drug-immunoliposomes for drug delivery, 104
Atrial fibrillation, detection of acute atrial thrombus in porcine model with atrial fibrillation with Tc 99m-apcitide, 197

B

Bile resistance of coated transjugular intrahepatic portosystemic shunt stents, 717
Blood coagulation, MS-325 as marker of tissue coagulation during thermoablation (pig model), 661
Blood flow. *See also* Perfusion
  CSF and blood dynamics in communicating hydrocephalus, 45
  functional MRI with flow and perfusion measurements in renal disease, 698
  quantification of pulmonary blood flow and volume with MRI, 537
  xenon-inhalation CT for measurement of tissue blood flow in hepatocellular carcinoma, 210
Blood–testis barrier, effect of triolein emulsion on, in cat, 445
Bone
  Gd DTPA-BMA (Omniscan) vs. Gd HP-DO3A (ProHance) retention in human bone tissue, 138
  MRI T2* measurements in postmenopausal women with low-energy fractures, 706
  trabecular bone structure of distal radius, calcaneus, and spine, 487
Brain
  analysis of cerebral infarction pattern in patients with internal carotid artery stenosis, 462
  assessment of irradiated brain metastases by MRI, 277
  brain maturation and age-related changes in T_2 relaxation times, 740
  CSF and blood dynamics in communicating hydrocephalus, 45
  in vivo measurement of gadolinium concentration in rat glioma model by monochromatic quantitative CT, 385
  macrophage imaging using ultrasmall superparamagnetic iron oxide in MRI, 619
  multiple-contrast images from single MRI, 767
  neurostimulation system and MR safety issues, 300
  neurostimulation system and MR safety issues (letter), 304

C

Calcium channel blockers, prophylaxis of iodinated contrast media-induced nephropathy, 155
Cardiac catheterization, quantification of functional mitral valve regurgitation in congestive heart failure, 728
Cardiac output, determination with multislice spiral CT, 451
Carotid arteries
  analysis of cerebral infarction pattern in patients with internal carotid artery stenosis, 462
  contrast-enhanced MRA of, 65
  macrophage imaging using ultrasmall superparamagnetic iron oxide in MRI, 619
  semiautomated internal carotid artery stenosis quantification from contrast-enhanced MRA, 418
Cartilage, articular, T2 quantitation at 1.5 T, 288
Cat, effect of triolein emulsion on blood–testis barrier, 445
Cerebral blood flow, assessment of irradiated brain metastases by MRI, 277
Cerebral infarction pattern, analysis in patients with internal carotid artery stenosis, 462
Cerebrospinal fluid (CSF)
  and blood dynamics in communicating hydrocephalus, 45
  influence of pulse and respiration on spinal CSF pulsation, 120
Chest radiography
  contrast-detail phantom study for X-ray spectrum optimization, 610
  diagnostic performance of a flat-panel detector at low tube voltage in, 97
  digital, automatic vs. semiautomatic gray-scale adaptation for, 325
Colorectal cancer
  dark lumen MR colonography in rodent polyp model, 723
  percutaneous RF ablation of hepatic metastases of, 689
  recurrent, camera-based PET in patients with, 8
Comparative studies
  automatic vs. semiautomatic gray-scale adaptation for digital chest radiography, 325
  bile resistance of coated transjugular intrahepatic portosystemic shunt stents, 717
  comparison of MRA and DSA in chronic

critical ischemia and tissue loss, 435
comparison of VSOP-C184 with Gd-DTPA for first-pass MRA (pig model), 546
contrast-detail phantom study for X-ray spectrum optimization for chest radiography, 610
Gd DTPA-BMA (Omniscan) vs. Gd HP-DO3A (ProHance) retention in human bone tissue, 138
image quality of coronary angiography using multislice spiral CT vs. electron-beam CT (pig model), 357
MRI T2* measurements in postmenopausal women with low-energy fractures, 706
MRI vs. CT in asbestos-related pleural disease, 554
Computed tomography (CT)
analysis of cerebral infarction pattern in patients with internal carotid artery stenosis, 462
cardiac output determination with multislice spiral CT, 451
computer-aided detection system for lung nodule detection in CT, 649
coronary artery stents in multislice CT, 27
CT lymphography with intrapulmonary injection of iopamidol for sentinel lymph node localization (dog model), 313
functional evaluation of emphysema, 427
gauging effective spatial resolution in multirow helical cardiac CT, 13
image quality of coronary angiography using multislice spiral CT vs. electron-beam CT (pig model), 357
in vivo measurement of gadolinium concentration in rat glioma model by monochromatic quantitative CT, 385
monitoring of radiation-induced lung fibrosis in mice, 600
MRI vs. CT in asbestos-related pleural disease, 554
optimization of lung densitometry in pulmonary emphysema, 681
perfusion image of lung in detection of pulmonary embolism (pig model), 633
quantification of functional mitral valve regurgitation in congestive heart failure, 728
quantitative evaluation of perfusion and permeability of peripheral tumors using contrast-enhanced CT (rat model), 340
reconstruction of 16-slice CT for detection of coronary artery stenoses, 223
sensitivities of 5 CT scanners to assess progression of pulmonary emphysema, 1
trabecular bone structure of distal radius, calcaneus, and spine, 487
ultrasound reflects high arterial perfusion of liver metastases better than CT, 216
xenon-inhalation CT for measurement of tissue blood flow in hepatocellular carcinoma, 210
Computed tomography angiography (CTA), aortoiliac enhancement during CTA with reduced contrast material dose and saline solution flush, 20
Computer-aided detection system for lung nodule detection in CT, 649
Contrast agents
aortoiliac enhancement during CTA with reduced contrast material dose and saline solution flush, 20
contrast-enhanced MRA of carotid arteries, 65
contrast-enhanced three-dimensional pulmonary perfusion MRI, 143
contrast media augmented apoptosis of cultured renal and hepatic cells (letter and reply), 582
CT lymphography with intrapulmonary injection of iopamidol for sentinel lymph node localization (dog model), 313
cytotoxicity of iodinated radiocontrast agents on renal cells in vitro, 149
detection of individual microbubbles of ultrasound contrast agents, 187
effects of iotrolan on swine renal arteries, 406
evaluation of very small superparamagnetic iron oxide particles as MRI contrast medium, 394 (erratum, 625)
Gd-BOPTA transport into rat hepatocytes, 506
Gd DTPA-BMA (Omniscan) vs. Gd HP-DO3A (ProHance) retention in human bone tissue, 138
histamine release from rat mast cells induced by, 455
inhibition of restenosis in stented porcine coronary arteries, 182
in vivo measurement of gadolinium concentration in rat glioma model by monochromatic quantitative CT, 385
iosimenol, 171
Ln(III)-DOTAMGly complexes for MRI, 235
macrophage endocytosis of superparamagnetic iron oxide nanoparticles, 56
macrophage imaging using ultrasmall superparamagnetic iron oxide in MRI, 619
MRI evaluation of acute myocardial ischemia by determining R1 in steady state after NC100150 injection, 479
MRI of acute myocardial ischemia in pigs using NC100150, 470
MRI of myocardial perfusion using blood pool contrast agent, 498
MS-325 as marker of tissue coagulation during thermoablation (pig model), 661
pharmacokinetics and safety of gadoversetamide in pediatric subjects, 334
postcontrast trueFISP imaging, 517
potential for differential diagnosis with Gd-EOB-DTPA-enhanced MRI in experimental hepatic tumors (rat model), 80
prophylaxis of iodinated contrast media-induced nephropathy, 155
quantification of pulmonary blood flow and volume with MRI, 537
quantitative evaluation of perfusion and permeability of peripheral tumors using contrast-enhanced CT (rat model), 340
role of molecular confirmation on tumor uptake of polymeric contrast agents, 131
sequential Mn-DPDP enhanced MRI of focal nodular hyperplasia and hepatocellular carcinoma, 305
ultrasmall superparamagnetic iron oxide particles in T-staging of uterine neoplasms, 666
ultrasound reflects high arterial perfusion of liver metastases better than CT, 216
Coronary arteries. *See also* Heart
coronary artery stents in multislice CT, 27
gauging effective spatial resolution in multirow helical cardiac CT, 13
image quality of coronary angiography using multislice spiral CT vs. electron-beam CT (pig model), 357
improved accuracy of noninvasive electron beam coronary angiography, 73
inhibition of restenosis in stented porcine coronary arteries, 182
nonmetallic guide wire for MRI-guided coronary artery catheterization (pig model), 656
reconstruction of 16-slice CT for detection of coronary artery stenoses, 223
Cow, dual-probe radiofrequency ablation: in vitro experimental study in bovine liver, 89
Culture studies
contrast media augmented apoptosis of cultured renal and hepatic cells (letter and reply), 582
effects of paclitaxel on restenosis, 565
Cyclic adenosine monophosphate, contrast media-induced histamine release from rat mast cells, 455

D

Deep brain stimulation
neurostimulation system and MR safety issues, 300
neurostimulation system and MR safety issues (letter), 304
Digital subtraction angiography (DSA), comparison of MRA and DSA in chronic critical ischemia and tissue loss, 435
Diuretics, prophylaxis of iodinated contrast media-induced nephropathy, 155
Dog
CT lymphography with intrapulmonary injection of iopamidol for sentinel lymph node localization, 313
iosimenol in, 171
Dopaminergic agonists, prophylaxis of

© 2004 Lippincott Williams & Wilkins

iodinated contrast media-induced nephropathy, 155
Drug delivery, novel echogenic drug-immunoliposomes for, 104

E

Ear, T2-weighted turbo spin-echo images, maximum-intensity projections, and 3-dimensional volume-rendering of anatomic details of inner ear, 756
Echo planar imaging, influence of pulse and respiration on spinal CSF pulsation, 120
Echocardiography, quantification of functional mitral valve regurgitation in congestive heart failure, 728
Electrical discharge-induced shock waves, for thrombolysis, 244
Electron beam tomography
  image quality of coronary angiography using multislice spiral CT vs. electron-beam CT (pig model), 357
  improved accuracy of noninvasive electron beam coronary angiography, 73
  quantification of aortic valve calcification with, 230
Emphysema
  functional evaluation of, 427
  sensitivities of 5 CT scanners to assess progression of, 1
Endothelin receptor antagonists, prophylaxis of iodinated contrast media-induced nephropathy, 155
Erratum, 625

F

Ferumoxides, macrophage endocytosis of superparamagnetic iron oxide nanoparticles, 56
Ferumoxtran-10, macrophage endocytosis of superparamagnetic iron oxide nanoparticles, 56
Flat-panel detector
  automatic vs. semiautomatic gray-scale adaptation for digital chest radiography, 325
  contrast-detail phantom study for X-ray spectrum optimization for chest radiography, 610
  diagnostic performance of a flat-panel detector at low tube voltage in chest radiography, 97
  reliability of digital image fusion in long-leg radiography, 271
Fluorochrome Cy5.5, near-infrared, in diagnosis of arthritis (mouse model), 626
[^{18}F]-Fluorodeoxyglucose, camera-based PET in patients with recurrent colorectal cancer, 8
Focal nodular hyperplasia, sequential Mn-DPDP enhanced MRI of hepatocellular carcinoma and, 305

G

Gadobutrol
  contrast-enhanced three-dimensional pulmonary perfusion MRI, 143
  in vivo measurement of gadolinium concentration in rat glioma model by monochromatic quantitative CT, 385
Gadolinium
  Gd-BOPTA transport into rat hepatocytes, 506
  Gd DTPA-BMA (Omniscan) vs. Gd HP-DO3A (ProHance) retention in human bone tissue, 138
Gadolinium-ethoxybenzyl-diethylenetriamine pentaacetic acid (Gd-EOB-DTPA), potential for differential diagnosis with Gd-EOB-DTPA-enhanced MRI in experimental hepatic tumors (rat model), 80
Gadopentetate dimeglumine (Gd-DTPA)
  comparison with VSOP-C184 for first-pass MRA (pig model), 546
  contrast-enhanced three-dimensional pulmonary perfusion MRI, 143
  in vivo measurement of gadolinium concentration in rat glioma model by monochromatic quantitative CT, 385
  role of molecular confirmation on tumor uptake of polymeric contrast agents, 131
Gadoversetamide, pharmacokinetics and safety of in pediatric subjects, 334
Guinea pig, iosimenol in, 171

H

Heart. *See also* Coronary arteries
  automated short-axis cardiac MRI acquisitions, 747
  cardiac output determination with multislice spiral CT, 451
  detection of acute atrial thrombus in porcine model with atrial fibrillation with Tc 99m-apcitide, 197
  gauging effective spatial resolution in multirow helical cardiac CT, 13
  MRI evaluation of acute myocardial ischemia by determining R1 in steady state after NC100150 injection, 479
  MRI of acute myocardial ischemia in pigs using NC100150, 470
  MRI of myocardial perfusion using blood pool contrast agent, 498
  quantification of functional mitral valve regurgitation in congestive heart failure, 728
  semiquantitative assessment of myocardial perfusion with MRI, 572
Hepatocellular carcinoma
  potential for differential diagnosis with Gd-EOB-DTPA-enhanced MRI in experimental hepatic tumors (rat model), 80
  sequential Mn-DPDP enhanced MRI of focal nodular hyperplasia and, 305
  xenon-inhalation CT for measurement of tissue blood flow in, 210
Histamine, contrast media-induced release from rat mast cells, 455
Histology
  CT monitoring of radiation-induced lung fibrosis in mice, 600
  MRI of asbestos-related pleural disease, 554
  potential for differential diagnosis with Gd-EOB-DTPA-enhanced MRI in experimental hepatic tumors (rat model), 80
  quantitation of murine tumor necrosis by sonography, 350
  thrombus model impact on interventional thrombectomy studies, 641
Hydrocephalus, communicating, CSF and blood dynamics in, 45

I

Image quality
  automatic vs. semiautomatic gray-scale adaptation for digital chest radiography, 325
  contrast-detail phantom study for X-ray spectrum optimization for chest radiography, 610
  of coronary angiography using multislice spiral CT vs. electron-beam CT (pig model), 357
  diagnostic performance of a flat-panel detector at low tube voltage in chest radiography, 97
  gauging effective spatial resolution in multirow helical cardiac CT, 13
  postcontrast trueFISP imaging, 517
  reliability of digital image fusion in long-leg radiography, 271
  3.0 Tesla MRA of endovascular aortic stent grafts, 413
Implantable microstimulator, MRI safety at 1.5 Tesla, 591
Inner ear, T2-weighted turbo spin-echo images, maximum-intensity projections, and 3-dimensional volume-rendering of anatomic details of, 756
Interventional procedures
  dual-probe radiofrequency ablation: in vitro experimental study in bovine liver, 89
  renal embolization: feasibility of MR-guidance using active catheter tracking and intraarterial MRA (pig model), 111
  thrombus model impact on interventional thrombectomy studies, 641
Iopamidol, CT lymphography with intrapulmonary injection of iopamidol for sentinel lymph node localization (dog model), 313
Iosimenol, low-viscosity nonionic dimer, 171
Iotrolan, effects on swine renal arteries, 406

© 2004 Lippincott Williams & Wilkins

Iron oxide, evaluation of very small superparamagnetic iron oxide particles as MRI contrast medium, 394 (erratum, 625)
Ischemia
comparison of MRA and DSA in chronic critical ischemia and tissue loss, 435
MRI evaluation of acute myocardial ischemia by determining R1 in steady state after NC100150 injection, 479
MRI of acute myocardial ischemia in pigs using NC100150, 470

K

Kidney
comparison of VSOP-C184 with Gd-DTPA for first-pass MRA (pig model), 546
contrast media augmented apoptosis of cultured renal and hepatic cells (letter and reply), 582
cytotoxicity of iodinated radiocontrast agents on renal cells in vitro, 149
effects of iotrolan on swine renal arteries, 406
functional MRI with flow and perfusion measurements in renal disease, 698
prophylaxis of iodinated contrast media-induced nephropathy, 155
quantitation of morphology of renal arteries from x-ray images, 365
renal Doppler ultrasound of ureteral obstruction (rabbit model), 531
renal embolization: feasibility of MR-guidance using active catheter tracking and intraarterial MRA (pig model), 111
Knee, MRI of, 254

L

Liposomes, novel echogenic drug-immunoliposomes for drug delivery, 104
Liver
bile resistance of coated transjugular intrahepatic portosystemic shunt stents, 717
contrast media augmented apoptosis of cultured renal and hepatic cells (letter and reply), 582
dual-probe radiofrequency ablation: in vitro experimental study in bovine liver, 89
enhanced ultrasound reflects high arterial perfusion of liver metastases better than CT, 216
Gd-BOPTA transport into rat hepatocytes, 506
percutaneous RF ablation of hepatic colorectal metastases, 689
potential for differential diagnosis with Gd-EOB-DTPA-enhanced MRI in experimental hepatic tumors (rat model), 80
sequential Mn-DPDP enhanced MRI of focal nodular hyperplasia and hepatocellular carcinoma, 305
xenon-inhalation CT for measurement of tissue blood flow in hepatocellular carcinoma, 210
Lung
computer-aided detection system for lung nodule detection in CT, 649
contrast-enhanced three-dimensional pulmonary perfusion MRI, 143
contrast media-induced histamine release from rat mast cells, 455
CT lymphography with intrapulmonary injection of iopamidol for sentinel lymph node localization (dog model), 313
CT monitoring of radiation-induced lung fibrosis in mice, 600
CT perfusion image of lung in detection of pulmonary embolism (pig model), 633
evaluation of chest motion and volumetry during breathing cycle by dynamic MRI in healthy subjects, 202
functional evaluation of emphysema, 427
optimization of lung densitometry in pulmonary emphysema, 681
quantification of pulmonary blood flow and volume with MRI, 537
sensitivities of 5 CT scanners to assess progression of pulmonary emphysema, 1
Lymphography, CT, with intrapulmonary injection of iopamidol for sentinel lymph node localization (dog model), 313

M

Macrophages
endocytosis of superparamagnetic iron oxide nanoparticles, 56
imaging using ultrasmall superparamagnetic iron oxide in MRI, 619
Magnetic resonance angiography (MRA)
comparison of MRA and DSA in chronic critical ischemia and tissue loss, 435
comparison of VSOP-C184 with Gd-DTPA for first-pass MRA (pig model), 546
contrast-enhanced MRA of carotid arteries, 65
metallic MR stents for coronary MRA in swine, 250
renal embolization: feasibility of MR-guidance using active catheter tracking and intraarterial MRA (pig model), 111
semiautomated internal carotid artery stenosis quantification from contrast-enhanced MRA, 418
3.0 Tesla MRA of endovascular aortic stent grafts, 413
Magnetic resonance imaging (MRI)
advances in (editorial), 713
aortic aneurysms in old apolipoprotein E-deficient mice, 585
asbestos-related pleural disease, 554
assessment of irradiated brain metastases by, 277
automated short-axis cardiac MRI acquisitions, 747
brain maturation and age-related changes in T_2 relaxation times, 740
contrast-enhanced three-dimensional pulmonary perfusion MRI, 143
CSF and blood dynamics in communicating hydrocephalus, 45
dark lumen MR colonography in rodent polyp model, 723
dynamic MRI and proton MRS of prostate cancer in rats treated by radiotherapy, 34
evaluation of chest motion and volumetry during breathing cycle by dynamic MRI in healthy subjects, 202
evaluation of very small superparamagnetic iron oxide particles as MRI contrast medium, 394 (erratum, 625)
functional evaluation of emphysema, 427
functional MRI with flow and perfusion measurements in renal disease, 698
Gd-BOPTA transport into rat hepatocytes, 506
of knee, 254
Ln(III)-DOTAMGly complexes for, 235
macrophage endocytosis of superparamagnetic iron oxide nanoparticles, 56
macrophage imaging using ultrasmall superparamagnetic iron oxide, 619
MRI evaluation of acute myocardial ischemia by determining R1 in steady state after NC100150 injection, 479
MRI of acute myocardial ischemia in pigs using NC100150, 470
MRI of myocardial perfusion using blood pool contrast agent, 498
multiple-contrast images from single MRI, 767
neurostimulation system and MR safety issues, 300
neurostimulation system and MR safety issues (letter), 304
nonmetallic guide wire for MRI-guided coronary artery catheterization (pig model), 656
pharmacokinetics and safety of gadoversetamide in pediatric subjects, 334
postcontrast trueFISP imaging, 517
potential for differential diagnosis with Gd-EOB-DTPA-enhanced MRI in experimental hepatic tumors (rat model), 80
quantification of pulmonary blood flow and volume with, 537
role of molecular confirmation on tumor uptake of polymeric contrast agents, 131
safety of implantable microstimulator at 1.5 Tesla, 591
semiquantitative assessment of myocardial perfusion with, 572
sequential Mn-DPDP enhanced MRI of focal nodular hyperplasia and hepatocellular

© 2004 Lippincott Williams & Wilkins

carcinoma, 305
T2* measurements in postmenopausal women with low-energy fractures, 706
T2 quantitation of human articular cartilage at 1.5 T, 288
T2-weighted turbo spin-echo images, maximum-intensity projections, and 3-dimensional volume-rendering of anatomic details of inner ear, 756
3T endorectal coil MRI and MRS of prostate, 671
trabecular bone structure of distal radius, calcaneus, and spine, 487
ultrasmall superparamagnetic iron oxide particles in T-staging of uterine neoplasms, 666
Magnetic resonance spectroscopy (MRS)
dynamic magnetic resonance tomography and proton MRS of prostate cancer in rats treated by radiotherapy, 34
3T endorectal coil MRI and MRS of prostate, 671
Mangafodipir trisodium (Mn-DPDP), sequential Mn-DPDP enhanced MRI of focal nodular hyperplasia and hepatocellular carcinoma, 305
Mast cells, contrast media-induced histamine release from (rat), 455
Meniscus, MRI of knee, 254
Metastatic disease
assessment of irradiated brain metastases by MRI, 277
percutaneous RF ablation of hepatic colorectal metastases, 689
ultrasound reflects high arterial perfusion of liver metastases better than CT, 216
Microstimulator, implantable, MRI safety at 1.5 Tesla, 591
Mitral valve regurgitation, in congestive heart failure, quantification of, 728
Mouse
CT monitoring of radiation-induced lung fibrosis, 600
diagnosis of arthritis using near-infrared fluorochrome Cy5.5, 626
MRI of aortic aneurysms in old apolipoprotein E-deficient mice, 585
quantitation of murine tumor necrosis by sonography, 350
MS-325 as marker of tissue coagulation during thermoablation (pig model), 661
Myelination, brain maturation and age-related changes in T_2 relaxation times, 740
Myocardium
ischemia
MRI evaluation by determining R1 in steady state after NC100150 injection, 479
MRI in pigs using NC100150, 470
semiquantitative assessment of myocardial perfusion with MRI, 572

N

NC100150 injection
MRI evaluation of acute myocardial ischemia by determining R1 in steady state after, 479
MRI of acute myocardial ischemia in pigs using, 470
Near-infrared range fluorescence, diagnosis of arthritis using fluorochrome Cy5.5 (mouse model), 626
Nephropathy
cytotoxicity of iodinated radiocontrast agents on renal cells in vitro, 149
prophylaxis of iodinated contrast media-induced nephropathy, 155
Neurostimulation system and MR safety issues, 300
letter, 304

O

OptiMARK. *See* Gadoversetamide
Osteoporosis
MRI T2* measurements in postmenopausal women with low-energy fractures, 706
trabecular bone structure of distal radius, calcaneus, and spine, 487

P

Paclitaxel
effects on restenosis, 565
inhibition of restenosis in stented porcine coronary arteries, 182
Pediatric patients, pharmacokinetics and safety of gadoversetamide in, 334
Percutaneous transluminal angioplasty, effects of paclitaxel on restenosis after, 565
Perfusion. *See also* Blood flow
contrast-enhanced three-dimensional pulmonary perfusion MRI, 143
CT perfusion image of lung in detection of pulmonary embolism (pig model), 633
functional MRI with flow and perfusion measurements in renal disease, 698
MRI evaluation of acute myocardial ischemia by determining R1 in steady state after NC100150 injection, 479
MRI of acute myocardial ischemia in pigs using NC100150, 470
MRI of myocardial perfusion using blood pool contrast agent, 498
quantitative evaluation of perfusion and permeability of peripheral tumors using contrast-enhanced CT (rat model), 340
semiquantitative assessment of myocardial perfusion with MRI, 572
ultrasound reflects high arterial perfusion of liver metastases better than CT, 216
Pharmacokinetics
of gadoversetamide, in pediatric subjects, 334
of iosimenol, 171
Pig
comparison of VSOP-C184 with Gd-DTPA for first-pass MRA, 546
CT perfusion image of lung in detection of pulmonary embolism (pig model), 633
detection of acute atrial thrombus in porcine model with atrial fibrillation with Tc 99m-apcitide, 197
effects of iotrolan on swine renal arteries, 406
image quality of coronary angiography using multislice spiral CT vs. electron-beam CT, 357
inhibition of restenosis in stented porcine coronary arteries, 182
metallic MR stents for coronary MRA in swine, 250
MRI evaluation of acute myocardial ischemia by determining R1 in steady state after NC100150 injection, 479
MRI of acute myocardial ischemia using NC100150, 470
MS-325 as marker of tissue coagulation during thermoablation, 661
nonmetallic guide wire for MRI-guided coronary artery catheterization, 656
renal embolization: feasibility of MR-guidance using active catheter tracking and intraarterial MRA, 111
Pleural disease, asbestos-related, MRI of, 554
Portal hypertension, bile resistance of coated transjugular intrahepatic portosystemic shunt stents, 717
Positron emission tomography (PET), camera-based PET in patients with recurrent colorectal cancer, 8
Prostate
dynamic MRI and proton MRS of prostate cancer in rats treated by radiotherapy, 34
3T endorectal coil MRI and MRS, 671
Pulmonary embolism, CT perfusion image of lung in detection of (pig model), 633
Pulmonary emphysema, optimization of lung densitometry in, 681
Pulmonary function tests
evaluation of chest motion and volumetry during breathing cycle by dynamic MRI in healthy subjects, 202
functional evaluation of emphysema, 427

Q

Quantification
functional mitral valve regurgitation in congestive heart failure, 728
semiautomated internal carotid artery stenosis quantification from contrast-enhanced MRA, 418
Quantitation
of aortic valve calcification with electron beam tomography, 230
brain maturation and age-related changes in T_2 relaxation times, 740

© 2004 Lippincott Williams & Wilkins

in vivo measurement of gadolinium concentration in rat glioma model by monochromatic quantitative CT, 385
of morphology of renal arteries from x-ray images, 365
of murine tumor necrosis by sonography, 350
quantitative evaluation of perfusion and permeability of peripheral tumors using contrast-enhanced CT (rat model), 340
T2 quantitation of human articular cartilage at 1.5 T, 288

R

Rabbit, renal Doppler ultrasound of ureteral obstruction, 531
Radiofrequency (RF) ablation
dual-probe, in vitro experimental study in bovine liver, 89
of hepatic colorectal metastases, 689
Radiography
automatic vs. semiautomatic gray-scale adaptation for digital chest radiography, 325
diagnostic performance of a flat-panel detector at low tube voltage in chest radiography, 97
method for detection of pathlines in vascular x-ray images, 524
reliability of digital image fusion in long-leg radiography, 271
Radiosurgery, assessment of irradiated brain metastases by MRI, 277
Radiotherapy
CT monitoring of radiation-induced lung fibrosis in mice, 600
dynamic magnetic resonance tomography and proton MRS of prostate cancer in rats treated by, 34
Rat
contrast media-induced histamine release from rat mast cells, 455
dark lumen MR colonography in rodent polyp model, 723
dynamic magnetic resonance tomography and proton MRS of prostate cancer in rats treated by radiotherapy, 34
Gd-BOPTA transport into rat hepatocytes, 506
in vivo measurement of gadolinium concentration in rat glioma model by monochromatic quantitative CT, 385
iosimenol in, 171
potential for differential diagnosis with Gd-EOB-DTPA-enhanced MRI in experimental hepatic tumors, 80
quantitative evaluation of perfusion and permeability of peripheral tumors using contrast-enhanced CT, 340
Renal arteries
functional MRI with flow and perfusion measurements in renal disease, 698
quantitation of morphology from x-ray images, 365
Renal embolization, feasibility of MR-guidance using active catheter tracking and intraarterial MRA (pig model), 111
Resistive index, renal Doppler ultrasound of ureteral obstruction (rabbit model), 531
Respiration, evaluation of chest motion and volumetry during breathing cycle by dynamic MRI in healthy subjects, 202
Restenosis
effects of paclitaxel on, 565
inhibition in stented porcine coronary arteries, 182
noninvasive inductive stent heating, 264

S

Safety
gadoversetamide in pediatric subjects, 334
MRI safety of implantable microstimulator at 1.5 Tesla, 591
neurostimulation system and MR safety issues, 300
neurostimulation system and MR safety issues (letter), 304
nonmetallic guide wire for MRI-guided coronary artery catheterization (pig model), 656
Secretory phospholipase A_2, contrast media-induced histamine release from rat mast cells, 455
Shock waves, electrical discharge-induced, thrombolysis using, 244
Spinal canal, influence of pulse and respiration on spinal CSF pulsation, 120
Spirometry, evaluation of chest motion and volumetry during breathing cycle by dynamic MRI in healthy subjects, 202
Stents
analysis of self-expanding stents in ex vivo model, 374
bile resistance of coated transjugular intrahepatic portosystemic shunt stents, 717
coronary artery stents in multislice CT, 27
inhibition of restenosis in stented porcine coronary arteries, 182
metallic MR stents for coronary MRA in swine, 250
noninvasive inductive stent heating, 264
Superparamagnetic iron oxide
macrophage endocytosis of nanoparticles, 56
ultrasmall
for macrophage imaging in MRI, 619
in T-staging of uterine neoplasms, 666
very small particles, as MRI contrast medium, 394 (erratum, 625)

T

Technetium-99m apcitide, detection of acute atrial thrombus in porcine model with atrial fibrillation with, 197
Testis, effect of triolein emulsion on blood–testis barrier in cat, 445
Thermoablation
dual-probe radiofrequency ablation: in vitro experimental study in bovine liver, 89
MS-325 as marker of tissue coagulation during (pig model), 661
Thromboembolic disorders
CT perfusion image of lung in detection of pulmonary embolism (pig model), 633
detection of acute atrial thrombus in porcine model with atrial fibrillation with Tc 99m-apcitide, 197
thrombolysis using electrical discharge-induced shock waves, 244
thrombus model impact on interventional thrombectomy studies, 641
Triolein emulsion, effect on blood–testis barrier in cat, 445
TrueFISP imaging
multiple-contrast images from single MRI, 767
postcontrast, 517
Tumors
assessment of irradiated brain metastases by MRI, 277
camera-based PET in patients with recurrent colorectal cancer, 8
computer-aided detection system for lung nodule detection in CT, 649
dark lumen MR colonography in rodent polyp model, 723
dynamic MRI and proton MRS of prostate cancer in rats treated by radiotherapy, 34
in vivo measurement of gadolinium concentration in rat glioma model by monochromatic quantitative CT, 385
percutaneous RF ablation of hepatic colorectal metastases, 689
potential for differential diagnosis with Gd-EOB-DTPA-enhanced MRI in experimental hepatic tumors (rat model), 80
quantitation of murine tumor necrosis by sonography, 350
quantitative evaluation of perfusion and permeability of peripheral tumors using contrast-enhanced CT (rat model), 340
renal embolization: feasibility of MR-guidance using active catheter tracking and intraarterial MRA (pig model), 111
role of molecular confirmation on tumor uptake of polymeric contrast agents, 131
sequential Mn-DPDP enhanced MRI of focal nodular hyperplasia and hepatocellular carcinoma, 305
3T endorectal coil MRI and MRS of prostate, 671
ultrasmall superparamagnetic iron oxide particles in T-staging of uterine neoplasms, 666
ultrasound reflects high arterial perfusion of liver metastases better than CT, 216

© 2004 Lippincott Williams & Wilkins

xenon-inhalation CT for measurement of tissue blood flow in hepatocellular carcinoma, 210

U

Ultrasonography
detection of individual microbubbles of ultrasound contrast agents, 187
quantitation of murine tumor necrosis by, 350
renal Doppler ultrasound of ureteral obstruction (rabbit model), 531
ultrasound reflects high arterial perfusion of liver metastases better than CT, 216
Ureteral obstruction, renal Doppler ultrasound of (rabbit model), 531

V

Vascular studies
analysis of cerebral infarction pattern in patients with internal carotid artery stenosis, 462
analysis of self-expanding stents in ex vivo model, 374
aortoiliac enhancement during CTA with reduced contrast material dose and saline solution flush, 20
comparison of MRA and DSA in chronic critical ischemia and tissue loss, 435
comparison of VSOP-C184 with Gd-DTPA for first-pass MRA (pig model), 546
contrast-enhanced MRA of carotid arteries, 65
coronary artery stents in multislice CT, 27
detection of acute atrial thrombus in porcine model with atrial fibrillation with Tc 99m-apcitide, 197
effects of iotrolan on swine renal arteries, 406
effects of paclitaxel on restenosis, 565
functional MRI with flow and perfusion measurements in renal disease, 698
gauging effective spatial resolution in multirow helical cardiac CT, 13
image quality of coronary angiography using multislice spiral CT vs. electron-beam CT (pig model), 357
inhibition of restenosis in stented porcine coronary arteries, 182
macrophage imaging using ultrasmall superparamagnetic iron oxide in MRI, 619
metallic MR stents for coronary MRA in swine, 250
method for detection of pathlines in vascular x-ray images, 524
MRI of aortic aneurysms in old apolipoprotein E-deficient mice, 585
noninvasive inductive stent heating, 264
nonmetallic guide wire for MRI-guided coronary artery catheterization (pig model), 656
quantification of aortic valve calcification with electron beam tomography, 230
quantitation of morphology of renal arteries from x-ray images, 365
reconstruction of 16-slice CT for detection of coronary artery stenoses, 223
semiautomated internal carotid artery stenosis quantification from contrast-enhanced MRA, 418
3.0 Tesla MRA of endovascular aortic stent grafts, 413
thrombus model impact on interventional thrombectomy studies, 641
ultrasound reflects high arterial perfusion of liver metastases better than CT, 216
VSOP-C184, comparison with Gd-DTPA for first-pass MRA (pig model), 546

W

Wavepath, method for detection of pathlines in vascular x-ray images, 524

© 2004 Lippincott Williams & Wilkins